

Chiari malformation

Chiari malformation (*Arnold-Chiari malformation*) is a **congenital CNS anomaly**. It is a **dystopia** of the cerebellum **and** medulla oblongata into the **spinal canal**, which is clinically manifested by hydrocephalus. We distinguish four types of rhombencephalon abnormalities (cerebellum, pons, oblongata):

- Type 1 - herniation of the cerebellar tonsil under the foramen magnum, IV. the chamber is stored normally
- Type 2 - usually the co-presence of myelomeningocele
- Type 3 - severe dislocation of structures in the posterior pit, often associated with suboccipital encephalomeningocele; usually *incompatible with life*
- Type 4 - cerebellar hypoplasia without herniation.

Clinical picture

Clinically, the defect is manifested mainly by headache, **weakened grip** and **spasticity of DK**.

Diagnosis

Native X-ray, MRI.

Therapy

The **main problem** is **hydrocephalus** – decompression of the craniospinal junction, short-circuit drainage operations.

Links

Related articles


- Meningocele
- Craniostenosis
- Dandy-Walker malformation
- Syringomyelic syndrome

Source


■

References

- ws:Chiariho malformace
-



Brain MRI showing herniation of cerebellar tonsils into the foramen magnum in a patient with **Arnold-Chiari malformation** of the first type



Chiari malformation of the second type