

Urgent urinary incontinence

Urgent urinary incontinence is urinary incontinence that occurs as part of overactive bladder syndrome^[1]. It is associated with **urgency**, i.e. the compulsion to urinate, which the patient must comply with unconditionally. In contrast to the physiological compulsion to urinate, the intensity of which increases continuously, the intensity of the urgency is sudden.

Causes of urge incontinence

Urge incontinence can be **primary**, **secondary** or of **unknown cause**.

Primary

Idiopathic urge incontinence is thought to be caused by pathological activation of the bladder detrusor either at the level of neural triggering of the micturition reflex (**neurogenic theory**) or at the level of the muscle cells themselves (**myogenic theory**).

Secondary

Secondary urgent incontinence occurs post-infection, as a result of tumor growth, post-irradiation, post-surgery, as a result of a foreign body, etc.

Types of emergencies

When pathological contractions of the bladder detrusor are detected during filling cystometry, we speak of **motor urgency** with a **hyperactive detrusor**. The cause may be a suprasacral neurological lesion (*detrusor hyperreflexia, neurogenic hyperactivity*), difficult urine outflow (*infravesical obstruction*) of an organic (congenital or acquired) or functional type (functional urethral narrowing, detrusor-urethral dyssynergy), or the cause may be unknown (*idiopathic motor urgency*).

If pathological contractions are not detected during filling cystometry, but in this examination there is increased pressure in the bladder on the basis of reduced bladder capacity or symptoms of urethral instability (significant changes in pressure in the urethra), urine leakage is caused by a micturition reflex triggered by premature stretching of the bladder wall. We are then talking about **sensory urgency** in **hypersensitive detrusor**. The causes are based on the involvement of the wall by inflammation, tumor, lithiasis, or they may be unknown (*idiopathic sensory urgency*).

Links

Related Articles

- Overactive bladder
- Urinary incontinence
- Nocturia
- Polakisuria
- Radiodiagnostic examination of the urinary tract
- Stress urinary incontinence
- Urgent urinary incontinence

External links

- Urogynekologie – Inkontinenčné moči u žen (<https://tav>)
- Inkontinenčné moči ve všeobecné gynekologické ambulanci (<http://www.mocova-inkontinence.cz/inkontinence-moci-ve-vseobecne-gynekologicke-ambulanci>)
- MEFANET – Dysfunkce dolních cest močových, BPH (<http://mefanet.lfp.cuni.cz/clanky.php?aid=114>)

References

1. >MARTAN, Alois. *Inkontinenčné moči u žen* [lecture for subject Gynekologie a porodnictví předstátnicová stáž, specialization Všeobecné lékařství, 1. lékařská fakulta Univerzita Karlova v Praze]. Praha. 3.2.2014. Available from <<https://el.lf1.cuni.cz/gpmartan1a>>.

Recommended literature

- MARTAN, Alois, et al. *Inkontinenčné moči u žen a její medikamentózní léčba : průvodce ošetřujícího lékaře*. 2. edition. Praha : Maxdorf, 2006. 83 pp. ISBN 80-7345-094-1.

